



Front Load Perfect Steam™ Electric Dryer with Balanced Dry™ and Instant Refresh – 8.0 Cu. Ft.

Dryer

Available Products: ELFE763CAT, ELFE763CAW

Available Colors: Titanium, White

Version: 08/25

Product Specifications

Dryer

| | |
|--------------------------|-----------------|
| Air Flow | 200 CFM |
| Balanced Dry | Yes |
| Drum Back Type | Painted Steel |
| Drum Material | Stainless Steel |
| Dryness Level Selections | Yes |
| Lint Filter | Yes |
| Predictive Dry | Yes |

Dryer Options

| | |
|------------------|------------|
| Anti Static | Yes |
| Delay Start Time | 1-12 Hours |
| Drum Light | Yes |
| Dry Boost | Yes |
| Extended Tumble | Yes |
| Perfect Steam | Yes |
| Wrinkle Release | Yes |

Dryness Level

| | |
|--------|-----|
| Max | Yes |
| High | Yes |
| Normal | Yes |
| Low | Yes |
| Damp | Yes |

Exterior

| | |
|-----------------|-----|
| Door Latch | Yes |
| Reversible Door | Yes |

Electrical Specifications

| | |
|--------------------------|----------|
| Minimum Circuit Required | 30 Amps |
| Voltage Rating | 208/240v |

Installation

| | |
|---------------------|--------|
| Optional Pedestal | Yes |
| Power Cord Included | Yes |
| Ventilation Type | Vented |

Performance Certifications and Approvals

| | |
|-----------------------|-----|
| ENERGY STAR Certified | Yes |
|-----------------------|-----|

Dryer Cycles

| | |
|-----------------|-----|
| Cycle Count | 11 |
| Activewear | Yes |
| Air Dry | Yes |
| Allergen | Yes |
| Delicates | Yes |
| Fast Dry | Yes |
| Heavy Duty | Yes |
| Instant Refresh | Yes |
| Mixed Load | Yes |
| Normal | Yes |
| Timed Dry Time | Yes |
| Towels | Yes |

Drying Temperatures

| | |
|----------|-----|
| Low | Yes |
| Normal | Yes |
| High | Yes |
| Sanitize | Yes |
| Eco Dry | Yes |

Controls

| | |
|--------------------------|-----|
| Cancel | Yes |
| Control Lock | Yes |
| Cycle Status Lights | Yes |
| Delay Start | Yes |
| Estimated Time Remaining | Yes |
| Pause Function | Yes |
| Power On/Off | Yes |
| Start | Yes |

Dimensions and Volume

| | |
|---------------------|-----------|
| Height | 38" |
| Width | 27" |
| Depth | 32" |
| Dryer Drum Capacity | 8 Cu. Ft. |

Energy Data

| | |
|------------------------------|---------|
| Combined Energy Factor (CEF) | 3.48 |
| kWh/cycle | 2.5 kWh |
| kWh/year | 620 kWh |

Front Load Perfect Steam™ Electric Dryer with Balanced

5476

Dry™ and Instant Refresh – 8.0 Cu. Ft.

Available Products: ELFE763CAT, ELFE763CAW

Available Colors: Titanium, White

Version: 08/25

General Specifications

| | |
|----------------------|--------|
| Chime On / Chime Off | Yes |
| Leveling Legs | Yes |
| Prop 65 Label | No |
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |

Safety Certifications and Approvals

| | |
|-----------|-----|
| UL Listed | Yes |
|-----------|-----|

We reserve the right to change specifications or discontinue models without notice.


Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • electrolux.com/en

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • electrolux.ca

Installation Diagram

Dryer dimensions



* Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.

¹ Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).

² Drain hose length on washer approximately 59 inches (150 cm).

³ Power supply cord length on washer approximately 60 inches (152.5 cm).