

# Freestanding Range

FGEF306TPF

30" Electric



## Product Dimensions

Height (Max.)	49"
Width	29-7/8"
Depth (Including Handle)	28"

## More Easy-To-Use Features

### One-Touch Self-Clean

Your oven cleans itself — so you don't have to. Self-clean options available in 2-, 3- and 4-hour cycles.

### Quick Boil

Get meals on the table faster with quick boil — water boils faster than the traditional setting.

### Fits-More™ Cooktop with SpaceWise® Expandable Elements

The cooktop features five elements including two SpaceWise® Expandable elements and a Warming Zone so you can cook more at once.

### One-Touch Options

Our ovens feature easy-to-use one touch buttons so you can add a minute to the timer, or keep foods warm — with the touch of a button.

### Keep Warm Zone

Keep food warm until everything—and everyone—is ready.

### Precision Set™ Controls

Adjust heat levels more precisely, providing exceptional temperature control.

Sabbath Mode (Star-K® Certified)

Available in:



Stainless  
(F)

Elements	Size	Watts
Right Front	6" / 9" / 12" Expandable	1,200 / 2,000 / 3,000
Right Rear	6"	1,200
Left Front	6" / 9" Expandable	1,200 / 3,000
Left Rear	6"	1,200
Center	Keep Warm Zone	100

*\*Based on single rack cooking performance, not set temperature, using Quick Preheat.*

## Signature Features



### Symmetry™ Double Ovens

Cook multiple dishes, at different temperatures, all at one time, with Symmetry™ Double Ovens.



### Quick Preheat

Preheat in just few minutes!



### True Convection


Single convection fan circulates hot air throughout the oven for faster and more even multi-rack baking. (Upper Oven only.)



### Smudge-Proof™ Stainless Steel

Resists fingerprints and cleans easily.

Features	
Oven Control/Timing System	Precision Set™ Controls
Surface Type	Black Ceramic Glass
Window	Large
Exterior Door Finish	Smudge-Proof™ Stainless Steel
Handle Design	Stainless Steel
Exterior Finish (Side Panels)	Black
Convection System	True Convection (Upper)
Oven Cleaning System	Self Clean
Oven Controls	
Bake/Broil	Yes/Variable (400 - 550 °F)
Effortless™ Convection Conversion	Yes (Upper)
Convection Bake/Broil/Roast	Yes/Yes/Yes (Upper)
Quick Bake Convection	
Quick Preheat	Yes
My Favorite	
Effortless™ Temperature Probe	Yes
Pizza Button	
Keep Warm	Yes
Add-a-Minute	Yes
Delay Start	Yes
Self Clean	2, 3, 4 Hours
Quick Clean Option	2 Hours
Delay Clean	2, 3, 4 Hours
Kitchen Timer/Timed Cook Option	Yes/Yes
Auto Oven Shut-Off	6 Hours
Oven Lock-Out	Yes
Cooktop Features	
Right Front Element (Watts)	SpaceWise® Expandable 6"/9"/12" - 1,200/2,000/3,000
Right Rear Element (Watts)	6" - 1,200
Left Front Element (Watts)	SpaceWise® Expandable 6"/9" - 1,200/3,000
Left Rear Element (Watts)	6" - 1,200
Bridge Element (Watts)	
Center Element (Watts)	Keep Warm Zone -100
Oven Features	
Upper/Lower Oven Capacity (Cu. Ft.)	3.6 / 3.6
Upper/Lower Oven Light	1/1
Hidden Bake Element	Yes
Upper/Lower Rack Configurations	1 Handle, 1 Offset Rack / 1 Handle, 1 Offset Rack
Baking System	Even Baking Technology
Broiling System	Vari-Broil™
Upper Bake/Broil/Convection Burners (Watts)	2,500 / 3,400 / 2,500
Lower Bake/Broil Burners (Watts)	2,500 / 3,400
Certifications	
Sabbath Mode (Star-K® Cert.)	Yes
Specifications	
Upper Oven Interior (H x W x D)	13-3/16" x 24-1/8" x 19-1/2"
Lower Oven Interior (H x W x D)	13-3/16" x 24-1/8" x 19-1/2"
Power Supply Connection Location	Left Bottom Rear
Voltage Rating	240V / 208V / 60Hz
Connected Load (kW Rating) @ 240/208 Volts	15.7/11.6
Minimum Circuit Required (Amps)	40
Shipping Weight (Approx.)	245 Lbs



NOTE: For planning purposes only. Always consult local and national electric codes. Refer to Product Installation Guide for detailed installation instructions on the web at [frigidaire.com](http://frigidaire.com).



Product Dimensions	
A - Height (Max.)	49"
B - Width	29-7/8"
C - Depth (Including Handle)	28"
Depth with Door Open 90°	42"

Cabinet Cutout Dimensions	
Height (Standard)	36"
Width (Min.)	30"
Depth (Min.)	24"

Accessories information available on the web at [frigidaire.com](http://frigidaire.com)


**FRIGIDAIRE**

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [frigidaire.com](http://frigidaire.com)  
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)

FGEF306TP 12/15

© 2015 Electrolux Home Products, Inc.

Specifications subject to change.



**Note:** Overall product dimensions are model specific and may vary slightly from illustration. Refer to model's product specifications for actual dimensions.

**Freestanding Range Specifications**

- Product Shipping Weight (approx.) - 245 Lbs.
- Single phase 3- or 4-wire cable, 120/240 or 120/208 Volt, 60 Hertz, fused on both sides of line with ground.
- Connected Load (kW Rating) @ 240/208 Volts = 15.7/11.6
- Recommended Circuit Breaker - 40 Amps
- Always consult local and national electric codes.
- Floor beneath range MUST be solid and level.
- Overhead cabinetry should not exceed a 13" maximum depth.
- Absolute minimum horizontal distance between overhead cabinets installed to either side of appliance must be no less than maximum width of appliance.
- Range can be installed flush to wall with 0" minimum rear clearance.
- Minimum 1" clearance required from edge of rangetop to nearest combustible wall on either side of range above 36" height.
- Allow 30" minimum clearance between top of cooking surface and bottom of unprotected wood or metal overhead cabinet; or 24" minimum clearance when bottom of wood or metal overhead cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.
- To reduce risk of fire when using overhead cabinetry, install range hood that projects horizontally a recommended minimum of 5" beyond bottom of cabinets.
- Follow all dimension requirements provided to prevent property damage, potential fire hazard, and incorrect countertop and cabinet cuts.

**Note:** For planning purposes only. Refer to Product Installation Guide on the web at [frigidaire.com](http://frigidaire.com) for detailed instructions.

