



## 36" Induction Freestanding Range

### Induction Range

Available Products: ECFI3668AS

Available Colors: Stainless Steel

Version: 11/25

## Product Specifications

### Cooking Controls

|                     |     |
|---------------------|-----|
| Bake                | Yes |
| Bread Proof         | Yes |
| Broil               | Yes |
| Child Lock          | Yes |
| Convection Bake     | Yes |
| Convection Roast    | Yes |
| Cook Time           | Yes |
| Delay Start         | Yes |
| Keep Warm           | Yes |
| Kitchen Timer       | Yes |
| Probe               | Yes |
| Steam Clean         | Yes |
| Temperature Display | Yes |

### Cooktop

|                             |                |
|-----------------------------|----------------|
| Bridge Element Location     | Right and Left |
| Cooking Surface Type        | Smooth         |
| Hot-Surface Indicator Light | Yes            |

### Controls

|              |     |
|--------------|-----|
| Sabbath Mode | Yes |
|--------------|-----|

### Dimensions and Volume

|                          |              |
|--------------------------|--------------|
| Minimum Height           | 35 563/1000" |
| Maximum Height           | 36 563/1000" |
| Width                    | 35 469/500"  |
| Depth                    | 24 813/1000" |
| Depth With Door 90° Open | 43 469/500"  |
| Oven Interior Height     | 14 1/2"      |
| Oven Interior Width      | 28 1/4"      |
| Oven Interior Depth      | 16 1/2"      |
| Oven Capacity            | 4.4 Cu. Ft.  |

### Installation

|                          |              |
|--------------------------|--------------|
| Adjustable Leveling Legs | Yes          |
| Included Power Cord Type | 4-Prong Plug |
| Power Cord Included      | Yes          |

### Certifications and Approvals

|               |     |
|---------------|-----|
| ADA Compliant | Yes |
|---------------|-----|

### Oven

|                           |                    |
|---------------------------|--------------------|
| Bake Element              | 3300 Watts         |
| Bake Element Type         | Hidden             |
| Broil Element             | 3300 Watts         |
| Convection Element        | 3380 Watts         |
| Convection Type           | True Dual          |
| Number of Convection Fans | 2                  |
| Number of Rack Positions  | 5                  |
| Oven Interior Color       | Gray               |
| Oven Light Quantity       | 2                  |
| Oven Light Type           | Halogen            |
| Oven Light Watts          | 40 Watts           |
| Rack Position Type        | Ladder             |
| Rack Type 1               | Flat               |
| Rack Type 1 Quantity      | 2                  |
| Rack Type 2               | Glide              |
| Rack Type 2 Quantity      | 1                  |
| Window Type               | Extra Large Window |

### Cooktop Performance

|                                  |                             |
|----------------------------------|-----------------------------|
| Right Front Element Burner Size  | 7 1/10"                     |
| Right Rear Element Burner Size   | 7 1/10"                     |
| Left Front Element Burner Size   | 7 1/10"                     |
| Left Rear Element Burner Size    | 7 1/10"                     |
| Center Front Element Burner Size | 10 1/4"                     |
| Right Front Element Burner       | 1,850 / 3,000 Watts (Boost) |
| Right Rear Element Burner        | 1,850 / 3,000 Watts (Boost) |
| Left Front Element Burner        | 1,850 / 3,000 Watts (Boost) |
| Left Rear Element Burner         | 1,850 / 3,000 Watts (Boost) |
| Center Element Burner            | 2,600 / 3,700 Watts (Boost) |

### Display

|                         |       |
|-------------------------|-------|
| Control Location        | Front |
| Display Interface Color | White |
| Display Type            | LED   |

### Electrical Specifications

|                       |         |
|-----------------------|---------|
| Amps @ 240 Volts      | 50 Amps |
| Connected Load @ 240V | 15.1 kW |
| Voltage Rating        | 240 V   |

We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • [electrolux.com/en](http://electrolux.com/en)

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [electrolux.ca](http://electrolux.ca)

|                                  |                                   |
|----------------------------------|-----------------------------------|
| 36" Induction Freestanding Range | 5529                              |
| Available Products: ECFI3668AS   | Available Colors: Stainless Steel |
| Version: 11/25                   |                                   |


General Specifications

|                  |        |
|------------------|--------|
| Prop 65 Label    | Yes    |
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |


Safety Certifications and Approvals

|            |     |
|------------|-----|
| cUL Listed | Yes |
| RoHS       | Yes |
| UL Listed  | Yes |

Installation Diagram



|          |             |          |
|----------|-------------|----------|
| <b>E</b> | 914 mm      | 36"      |
| <b>F</b> | 603 mm      | 23" 3/4  |
| <b>G</b> | 178 mm      | 7"       |
| <b>H</b> | min. 914 mm | min. 36" |
| <b>I</b> | min. 457 mm | min. 18" |
| <b>K</b> | max. 330 mm | max. 13" |



|          |                            |                                  |
|----------|----------------------------|----------------------------------|
| <b>A</b> | 912.4 mm                   | 35 15/16"                        |
| <b>B</b> | min: 627 mm<br>max: 631 mm | min: 24 11/16"<br>max: 24 13/16" |
| <b>C</b> | 1116 mm                    | 43 15/16"                        |
| <b>D</b> | min: 903 mm<br>max: 929 mm | min: 35 9/16"<br>max: 36 9/16"   |