




27" Single Electric Wall Oven

Single Wall Oven

Version: 10/25

Product Specifications

Cooking Controls

Add A Min	No
Bake	Yes
Broil	Yes
Cancel	Yes
Convection Convert	Yes
Cook Time	Yes
Delay Clean	Yes
Delay Start	Yes
Keep Warm	Yes
Kitchen Timer	Yes
Lockout	Yes
Numerical Keypad	Yes
Off	Yes
Oven Light	Yes
Preheat	Yes
Probe	Yes
Quick Bake	Yes
Quick Preheat	Yes
Self Clean	Yes
Set Clock	Yes
Start	Yes
Start Time	Yes
Steam Clean	Yes
Stone-Baked Pizza	No
Temperature Display	Yes

Controls

Sabbath Mode	Yes
--------------	-----

Dimensions and Volume

Height	29"
Width	27"
Depth	24"
Depth With Door 90° Open	50 3/4"
Oven Interior Height	17"
Oven Interior Width	20 1/2"
Oven Interior Depth	18 3/4"
Oven Capacity	3.8 Cu. Ft.

Oven

Bake Element	1450 Watts
Bake System	Yes
Broil Element	3400 Watts
Broil Element Pass	6
Broil System	Yes
Convection Element	2500 Watts
Convection Type	Fan
Number of Rack Positions	5
Oven Interior Color	Midnight Black
Rack Position Type	Nickel Ladder
Rack Type 1	Handle
Rack Type 1 Quantity	2
Window Type	Large

Display

Display Type	Membrane
--------------	----------

Electrical Specifications

Amps @ 240 Volts	15.4 Amps
Minimum Circuit Required	20 Amps
Voltage Rating	240 V

Certifications and Approvals

ADA Compliant	Yes
---------------	-----

Right to Repair Details

Right to Repair	Partially Available - Visit frigidaire.ca/right-to-repair for more information
-----------------	---

General Specifications


Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Parts	1 Year
AB-1200	Information available at frigidaire.com/en/ab1200

Safety Certifications and Approvals

CSA Listed	Yes
UL Listed	Yes

Installation Diagram

⚠ WARNING Do not remove spacers (if equipped) on the side walls and/or on the back of the built-in oven. These spacers center the oven in the space provided. The oven must be centered to prevent excess heat buildup that may result in heat damage or fire.



NOTES:

1. Allow at least 27 $\frac{1}{4}$ " (69.2 cm) clearance in front of oven for door depth when it is open.
2. Dimension **G** (cutout depth) is critical to the proper installation of the built-in oven. If the oven decorative trim does not butt against the cabinet, or if noise is heard on convection models, verify dimension **G** to assure it is the required depth.
3. For a cutout height greater than 28 $\frac{1}{8}$ " (71.4 cm) add one 2" (5 cm) wide wood shim of appropriate height to each side of the opening under the appliance side rails. For a cutout height (**H**) greater than 28 $\frac{5}{8}$ " (72.7 cm) you can order a larger bottom trim, contact a Service Center

PRODUCT DIMENSIONS					
A		B	C	D	E
27 (68.6)		29 (73.7)	24 $\frac{5}{8}$ (62.5)	24 $\frac{3}{4}$ (62.9)	27 $\frac{3}{16}$ (69.1)
CUTOUT DIMENSIONS AND CABINET WIDTH					
F		G (Min.)	H. Standard Height (Others, see note 3)		I
Min.	Max.		Min.	Max.	
24 $\frac{7}{8}$ (63.2)	25 $\frac{1}{4}$ (64.1)	24 (61.0)	27 $\frac{1}{4}$ (69.2)	28 $\frac{1}{4}$ (71.7)	27 $\frac{1}{8}$ (68.9)