

## LFTR2032T F/P/E

Comparable to model FFTR2032T; Exclusive features noted by **ONLY AT LOWE'S**

### TOP MOUNT REFRIGERATOR

**20.4 CU. FT.**



#### AVAILABLE COLORS



### SIGNATURE FEATURES

#### Same Width. More Capacity.<sup>1</sup>

With a 20 cu.ft. top freezer refrigerator, you can have a refrigerator that fits the same space as an 18 cu.ft. top freezer refrigerator, but get more capacity.

#### Store-More™ Humidity-Controlled Crisper Drawers

Keep your fruits and vegetables fresh in our humidity-controlled crisper drawers.

#### Store-More™ Gallon Door Shelf

Door storage gives you room for larger items like a gallon of milk.

#### SpillSafe® Shelves

Designed to keep spills contained, making cleanup a breeze.

#### PRODUCT DIMENSIONS

|                                     |         |
|-------------------------------------|---------|
| Height (Including Hinges & Rollers) | 69"     |
| Width                               | 29-5/8" |
| Depth (Including Door)              | 32"     |

#### MORE EASY-TO-USE FEATURES

##### Full-Width Wire Freezer Shelf

Gives you a way to organize items in your freezer better so you can find food quickly.

##### Reversible Door

Door can be installed to open left or right based on your needs.

##### Clear Dairy Bin

Keep foods like butter, cheese and yogurt organized.

<sup>1</sup>Compared to 18 cu.ft. top mount refrigerators.

# LFTR2032T F/P/E TOP MOUNT REFRIGERATOR

20.4 CU. FT.

FRIGIDAIRE

## FEATURES

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Door Design          | UltraSoft™                                      |
| Door Handle Design   | Stainless Steel (F),<br>Color-Coordinated (P/E) |
| Cabinet Finish       | Black (F),<br>Color-Coordinated (P/E)           |
| Door Stops           | Yes                                             |
| Door Hinge Covers    | Black (F),<br>Color-Coordinated (P/E)           |
| Door Reverse Option  | Yes                                             |
| Rollers - Front/Rear | Adjustable/Yes                                  |
| Sound Package        |                                                 |
| Toe Grille           | Black (F),<br>Color-Coordinated (P/E)           |

## REFRIGERATOR FEATURES

|                             |                         |
|-----------------------------|-------------------------|
| Interior Lighting           | LED                     |
| Refrigerator Shelves        | 2 Full-Width SpillSafe® |
| Deli Drawer                 | 1 Half-Width            |
| Wine/Can Rack               |                         |
| Store-More™ Crisper Drawers | 2 Clear                 |
| Humidity Controls           | 2                       |
| Dairy Compartment           | Clear Dairy Door        |
| Door Bins                   | 3 Full-Width White      |
| Door Racks                  |                         |
| Non-Slip Bin Liner          |                         |
| Tall Bottle Retainers       |                         |
| Gallon Door Storage         | 1                       |

## FREEZER FEATURES

|                                    |                            |
|------------------------------------|----------------------------|
| Door Bins                          | 2 Full-Width Clear         |
| Door Racks                         |                            |
| Freezer Shelves                    | 1 Full-Width Wire          |
| Factory Ice Maker w/ Large Ice Bin | Optional<br>(PN# IMEZC000) |
| Lighting                           |                            |


## SPECIFICATIONS

|                                                     |                   |
|-----------------------------------------------------|-------------------|
| Total Capacity (Cu. Ft.)                            | 20.4              |
| Refrigerator Capacity (Cu. Ft.)                     | 15.3              |
| Freezer Capacity (Cu. Ft.)                          | 5.1               |
| Power Supply Connection Location                    | Right Bottom Rear |
| Water Inlet Connection Location                     | Bottom Right      |
| Voltage Rating                                      | 120V/60Hz         |
| Connected Load (kW Rating) @ 120 Volts <sup>1</sup> | 0.72              |
| Amps @ 120 Volts                                    | 6.0               |
| Minimum Circuit Required (Amps)                     | 15                |
| Shipping Weight (Approx.)                           | 220 Lbs.          |

<sup>1</sup>For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.

## PRODUCT DIMENSIONS

|                                         |         |
|-----------------------------------------|---------|
| A - Height (Including Hinges & Rollers) | 69"     |
| B - Width                               | 29-5/8" |
| C - Depth (Including Door)              | 32"     |
| Depth with Door Open 90°                | 60"     |



**Note:** For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [lowes.com/frigidaire](http://lowes.com/frigidaire).  
Specifications subject to change. Accessories information available on the web at [lowes.com/frigidaire](http://lowes.com/frigidaire)



FRIGIDAIRE


USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [frigidaire.com](http://frigidaire.com)  
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)

LFTR2032T 08/17  
© 2017 Electrolux Home Products, Inc.


# LFTR2032T F/P/E TOP MOUNT REFRIGERATOR

20.4 CU. FT.

FRIGIDAIRE



\* When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 140° door swing, providing complete crisper access and removal. (Absolute 3" minimum clearance will ONLY allow for 90° door swing which will provide limited crisper access with restricted removal.)



## INSTALLATION SPECIFICATIONS

- Product Shipping Weight (approx.) - 220 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating - 120V/60 Hz
- Connected Load (kW Rating) @ 120 Volts = 0.72kW
- Amps @ 120 Volts = 6.0 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- Minimum 3/8" clearance required for sides and top of refrigerator with 1" clearance at rear to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 140° door swing, providing complete crisper access and removal. (Absolute 3" minimum clearance will ONLY allow for 90° door swing which will provide limited crisper access with restricted removal.)

- To ensure optimum performance, do not install in areas where temperature drops below 55°F or rises above 110°F and avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Optional Ice Maker Kit (PN# IMEYC000) available for installation in ice maker-ready models only.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure - Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.

### OPTIONAL ACCESSORIES

- Ice Maker Kit - (PN# IMEYC000).



FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [frigidaire.com](http://frigidaire.com)  
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)

**Note:** For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [lowes.com/frigidaire](http://lowes.com/frigidaire).

Specifications subject to change. Accessories information available on the web at [lowes.com/frigidaire](http://lowes.com/frigidaire)

LFTR2032T 08/17

© 2017 Electrolux Home Products, Inc.