



Front Load Perfect Steam™ Washer with LuxCare® Wash - 5.2 Cu.Ft.
I.E.C

Front Load Washer

Available Products: ELFW7437AD, ELFW7437AG, ELFW7437AT,
ELFW7437AW

Available Colors: Denim Blue, Glacier Blue, Titanium, White

Version: 01/26

Product Specifications

| | | | |
|----------------------------------|-----------------|-----------------------------------|--------------|
| Washer | | Washer Cycles | |
| Drum Light | No | Cycle Count | 7 |
| Drum Material | Stainless Steel | Clean Washer | Yes |
| Maximum Spin Speed | 1300 RPM | Delicates | Yes |
| Water Heater | Yes | Fast Wash | Yes |
| Water Level Adjustment | Yes | Heavy Duty | Yes |
| | | Normal | Yes |
| | | Rinse and Spin | Yes |
| | | Whitest Whites | Yes |
| Washer Options | | Soil Levels | |
| Delay Start Time | 1-12 Hours | Extra Light | Yes |
| Extended Refresh | Yes | Light | Yes |
| Extra Rinse | Yes | Normal | Yes |
| Perfect Steam | Yes | Heavy | Yes |
| Stain Treat | Yes | Solid Soil | Yes |
| Steam | Yes | | |
| Washer Spin Speeds | | Controls | |
| Spin Speed Selections | 5 | Cancel | Yes |
| Max | Yes | Control Lock | Yes |
| High | Yes | Cycle Status Lights | Yes |
| Medium | Yes | Delay Start | Yes |
| Low | Yes | Pause Function | Yes |
| No Spin | Yes | Power On/Off | Yes |
| | | Start | Yes |
| Temperature Settings | | Dimensions and Volume | |
| Eco Cold | Yes | Height | 38" |
| Cool | Yes | Width | 27" |
| Warm | Yes | Depth | 32" |
| Hot | Yes | Depth With Door 90° Open | 53 1/2" |
| Sanitize | Yes | Washer Drum Capacity I.E.C. | 5.2 Cu. Ft. |
| | | Dry Linen Capacity Tested Amount | 11.5 kg |
| Dispenser | | Energy Data | |
| Bleach Dispenser | Yes | Integrated Modified Energy Factor | 2.92 |
| Detergent Dispenser | Yes | Integrated Water Factor | 3.2 |
| Fabric Softener Dispenser | Yes | kWh/cycle | 0.29 kWh |
| Prewash Detergent Dispenser | Yes | kWh/year | 85 kWh |
| PODs Dispenser | Yes | Water Usage/Year | 4248 Gallons |
| Exterior | | | |
| Door Latch | Yes | | |
| Reversible Door | Yes | | |
| Electrical Specifications | | | |
| Minimum Circuit Required | 15 Amps | | |
| Voltage Rating | 120 V | | |

4.5 Cu. Ft.

Available Products: ELFW7437AD, ELFW7437AG,

Available Colors: Denim Blue, Glacier Blue, Titanium, White

ELFW7437AT, ELFW7437AW

Version: 01/26

Installation

| | |
|---------------------|-----|
| Optional Pedestal | Yes |
| Power Cord Included | Yes |
| Stackable | Yes |

Performance Certifications and Approvals

| | |
|-----------------------|--------|
| CEE Tier | Tier 2 |
| ENERGY STAR Certified | Yes |
| High Efficiency | Yes |

Right to Repair Details

| | |
|-----------------|---|
| Right to Repair | Available - Visit electrolux.ca/en/Owner-Support/right-to-repair for more information |
|-----------------|---|

General Specifications


| | |
|----------------------|----------|
| Chime On / Chime Off | Yes |
| Leveling Legs | Yes |
| Prop 65 Label | No |
| Warranty - Labor | 1 Year |
| Warranty - Motor | 10 Years |
| Warranty - Parts | 1 Year |
| Warranty - Tub | Lifetime |

Safety Certifications and Approvals

| | |
|---------------|-----|
| NSF Certified | Yes |
| UL Listed | Yes |

Installation Diagram

Washer dimensions



*Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.

¹Power supply cord length on washer approximately 60 inches (152.5 cm).

²Drain hose length on washer approximately 59 inches (150 cm).

³Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).