

FFGC3612TS



AVAILABLE COLORS



Stainless

SIGNATURE FEATURES

Angled Front Controls

Easy-to-use angled front controls.

Approved Over Frigidaire® Electric Wall Ovens

Cooktops are approved for installation above any of our Single Electric Wall Ovens.

Dishwasher-Safe Wire Grates

Easy to clean with dishwasher-safe wire grates.

Low Simmer Burner

Perfect for delicate foods and sauces.

BUILT-IN COOKTOPS

36" GAS

PRODUCT DIMENSIONS

Width 36"

Depth 21-3/4"

Height 4-1/4"

MORE EASY-TO-USE FEATURES

Sealed Gas Burners

Enjoy easier cleanup and a burner that stays looking great.

Durable Stainless Steel Cooktop

Premium look that stands up to everyday use.

CERTIFICATIONS

A.D.A. - Compliant

When properly installed, this model is A.D.A.-qualified based on the United States Access Board's A.D.A./A.B.A. Accessibility Guidelines and the Department of Justice's 2010 A.D.A. Standards for Accessible Design.



BURNERS

BTU

| | |
|-------------|--------|
| Right Front | 12,000 |
| Right Rear | 5,000 |
| Left Front | 9,500 |
| Left Rear | 5,000 |
| Center | 15,000 |

FFGC3612TS BUILT-IN COOKTOP

36" GAS

FRIGIDAIRE

FEATURES

| | |
|---------------------------|------------------------------|
| Controls | Ready-Select® |
| Surface Type | Deep-Well Stainless Steel |
| Sealed Gas Burners | Yes |
| Grates | Continuous Black Wire |
| Right Front Element (BTU) | 12,000 |
| Right Rear Element (BTU) | 5,000 |
| Left Front Element (BTU) | 9,500 |
| Left Rear Element (BTU) | 5,000 |
| Center (BTU) | 15,000 |
| Control Location | Front |
| Knob Color | Black |
| Knob Type | Plastic |
| Bowl Type | |

CERTIFICATIONS

| | |
|-------------------------------|-----|
| A.D.A. Compliant ¹ | Yes |
|-------------------------------|-----|

SPECIFICATIONS

| | |
|---|--------------|
| Power Supply Connection Location | Right Rear |
| Gas Supply Connection Location | Right Rear |
| LP Gas Conversion Kit | Included |
| Voltage Rating | 120V/60V/15A |
| Amps @ 120 Volts | 1.0 |
| Minimum Circuit Required (Amps) | 15 |
| Approved for Electric Single Wall Oven Combination Installation ² | Yes |
| Shipping Weight (Approx.) | 43 Lbs. |

¹When properly installed, this model is A.D.A.-qualified based on the United States Access Board's A.D.A./A.B.A. Accessibility Guidelines and the Department of Justice's 2010 A.D.A. Standards for Accessible Design.


²Cooktops are approved for installation above any of our Electric Single Wall Ovens.

PRODUCT DIMENSIONS

| | |
|------------|---------|
| A - Width | 36" |
| B - Depth | 21-3/4" |
| C - Height | 4-1/4" |

CUTOUT DIMENSIONS

| | |
|-------------------------|-----------------|
| Width (Min. - Max.) | 33-7/8"-34-1/4" |
| B - Depth (Min. - Max.) | 19-3/8"-19-3/4" |
| C - Height | 8" |



Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.

Specifications subject to change. Accessories information available on the web at frigidaire.com

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FFGC3612T 02/18

© 2018 Electrolux Home Products, Inc.

