

French Door Refrigerator

LFHB2741PF (493398)

27 Cu. Ft. Standard-Depth

**ONLY AT
LOWE'S!**

ISOLAMENTE EN LOWE'S!



Signature Features



Over 100 Ways to Organize

Makes it easy to keep food organized and easy to find when you need it with a full-width deli drawer, gallon-size door bins, and Effortless™ Glide freezer drawers.



Best-in-Class Ice & Water Filtration¹

PureSource Ultra® Water Filtration offers best-in-class water filtration so you get cleaner, fresher ice and water for your family.



ONLY AT LOWE'S! EasyCare™ Stainless Steel

A protective coating on stainless steel that reduces fingerprints and smudges, making it easier to clean & keep clean.



Adjustable/Stackable Crisper Drawers

Drawers can be moved to different positions within the refrigerator — when stacked on the right side, you can open the right door and access both drawers.

Product Dimensions

Height (Including Hinges & Rollers)	69-7/8"
Width (Doors)	36"
Depth (Including Door)	33-3/8"

More Easy-To-Use Features

Full-Width Deli Drawer

A large capacity Cool Zone™ drawer provides enough space to easily store anything from sheet cakes and large platters to snacks and juice boxes.

Effortless™ Glide Freezer Drawers

Drawers glide out smoothly and fully extend, giving you easy access to what's inside.

Gallon Door Bins

Our gallon-size bins are designed to store more, so you can fit a gallon of milk.

SpillSafe® Adjustable Glass Shelves

SpillSafe® glass shelves slide out for easy access and are designed to keep spills contained, making cleanup a breeze.

Energy Saver Plus Technology

Dual Ice Ready

Be ready for any occasion with two ice makers and enough room to store up to 19-1/2 pounds of ice². This refrigerator comes with ice maker installed in the fresh food section and is ready for an optional second ice maker in the freezer. (Optional kit model number IMK0028A).

Quiet Design

Sound reduction package.



Available in:

EasyCare™
Stainless Steel

¹As compared to other consumer refrigeration water filtration systems.




²Standard-Depth models store up to 19.5 pounds.

Compare to Model:
FFHB2740PS
with this additional feature

- EasyCare™ Stainless Steel

Features	
Cubic Feet (Cu.Ft.)	27
Color	EasyCare™
Counter-Depth Design	No
Exterior Features	
Door Design	Soft-Arc
Handle Design	Stainless Steel
Cabinet Color & Finish	Grey Textured
Control Features	
Touch Controls	Yes
Control Panel Location	Dispenser
Display On/Off	Yes
Water Filter Change Indicator Light	Yes
Air Filter Change Indicator Light	No
Supplemental Ice	No
Supplemental Freeze	No
High Temp Alert	No
Door Ajar Alert	No
Power Failure Alert	No
Dispenser	
Water	Yes
Cubed Ice / Crushed Ice	Yes
Light	Yes
Refrigerator Features	
Lighting	Dual-Level Bulbs
Half-Width SpillSafe® Shelves	3 Sliding
Quarter-Width SpillSafe® Shelves	No
Adjustable Shelves	Yes
Full-Width Cool Zone™ Drawer	Yes
Crisper Drawers	2 Clear
Store-More™ Door Bins	2 White (1 per door)
Adjustable Gallon Door Storage	2 Clear
Dairy Compartment	No
6-Can Dispenser	No
Small Door Bin with Bottle Retainer	1 White
Non-Slip Bin Liners	No
Hanging Wine Rack	No
Water Filter Type	PureSource Ultra®
Air Filter Type	No
Freezer Features	
Self-Closing Pull-Out Drawer	Yes
Effortless™ Glide Freezer Baskets	2
Adjustable Divider	1
Lighting	Incandescent
Ice Maker	
Primary Ice Maker (Location)	Yes (Fresh Food Section)
Second Ice Maker (Location)	Optional (Freezer)
Certifications	
Sabbath Mode (Star-K® Certified)	Yes
ENERGY STAR®	Yes
Specifications	
Total Capacity (Cu.Ft.)	27.19
Refrigerator Capacity (Cu.Ft.)	18.48
Freezer Capacity (Cu.Ft.)	8.71
Minimum Circuit Required (Amps)	15
Shipping Weight (Approx.)	365 Lbs.

Standard Refrigerator Depth vs. Counter Depth




NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at lowes.com/frigidaire.



Product Dimensions	
A - Height (Incl. Hinges & Rollers)	69-7/8"
B - Cabinet Width/Door Width	35-7/8" / 36"
C - Depth (Incl. Door)	33-3/8"
Depth with Door Open 90°	47-3/8"
Depth with Drawer Fully Extended (Incl. Handle)	55"

Accessories information available on the web at lowes.com/frigidaire



French Door Refrigerator Specifications

- Product Shipping Weight (approx.) - 365 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating - 120V / 60 Hz / 15 or 20 Amps
- Connected Load (kW Rating) @120 Volts = 1.02 kW
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer / crisper access and removal. (*Absolute 4-1/2" minimum clearance will ONLY allow for 90° door swing which will provide drawer / crisper access with restricted removal.*)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.

- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure - Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.

“Built-In Look” Specifications

- Minimum opening of 70-1/4" H x 36" W x 28-7/8" D required to allow for ease of installation, proper air circulation, and plumbing / electrical connections.
- Remove all wall / floor molding prior to installation.

Note: For planning purposes only. Refer to Product Installation Guide on the web at frigidaire.com for detailed instructions.

Optional Accessories

- Second Ice Maker Kit - (PN# IMK0028A)