

## Freezer

### FFFU14F1RW

Frost-Free  
13.8 Cu. Ft. Upright



#### Product Dimensions

Height	61-3/4"
Width	29-5/8"
Depth (Including Door)	30-1/2"

#### More Easy-To-Use Features

##### Adjustable Temperature Control

Select the correct temperature for your needs.

##### Adjustable Shelves

##### Removable Trivet

##### Pocket Handle Door

#### Available in:



White  
(W)

<sup>1</sup>Average cabinet temperature as tested per AHAM standard HRF-1-2007 Section 7.9 at 70 degrees with door remaining closed.

<sup>2</sup>Energy efficiency calculations differ between 2013 and 2014 upright freezers and are based on the applicable DOE energy standards.

## Signature Features

### ArcticLock™ Thicker Walls

Keeps food frozen for over 2 days if there is a power outage.<sup>1</sup>

### Frost-Free Operation



Never defrost your freezer again so you can spend time on more important things.

### Energy Efficient

Over 24% more energy efficient than Frigidaire's 2013 models.<sup>2</sup>

Features	
Door Handle Design	Pocket
Reversible Door	
Automatic Door Closer	
Leveling Legs	Yes
Lock with Pop-Out Key	
Defrost	Frost-Free
Adjustable Temperature Control	Mechanical Dial
Front Digital Display	
Temp Display Mode	1-7
High-Temp Duration Readout	
High-Temp Alarm	
Door Ajar Alarm	
Airflow Ports	1
Interior Lighting	
Full-Width Adjustable Shelves	3 Wire
Full-Width Fixed Shelves	
Removable Trivet	1
Mid-Level Baskets	
Lower Storage Basket	
Basket Dividers	
Retractable Pizza Shelf	
Full-Width Door Bins	
Fixed Door Racks	5
Defrost Drain	
Power-On Light	
Certifications	
CSA Rating	Household
Specifications	
Total Capacity (Cu. Ft.)	13.83
Shelf Area (Sq. Ft.)	7.9
Annual Energy (kWH)	436
Annual Energy Cost (.12/kWH)	\$52
Power Supply Connection Location	Lower Right Rear
Voltage Rating	115V, 60Hz
Connected Load (kW rating) @ 115 Volts <sup>1</sup>	.60
Amps @ 120 Volts	5
Minimum Circuit Required (Amps)	15
Shipping Weight (Approx.)	162 Lbs.

<sup>1</sup>An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.




NOTE: For planning purposes only. Always consult local and national electric codes. Refer to Product Installation Guide for detailed installation instructions on the web at [frigidaire.com](http://frigidaire.com).



Product Dimensions	
A - Height	61-3/4"
B - Width	29-5/8"
C - Depth (Including Door)	30-1/2"
Depth with Door Open 90°	58"

Accessories information available on the web at [frigidaire.com](http://frigidaire.com)



### Upright Freezer Specifications

- Product Shipping Weight (approx.) - 162 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of *National Electrical Code (NFPA 70)* and local codes & ordinances.
- Voltage Rating - 115V, 60Hz
- Connected Load (kW Rating) @115 Volts = 0.6 kW
- Amps @115 Volts = 5 Amps
- Always consult local and national electric codes.
- For adequate air circulation, allow 3" minimum clearance on all sides and top with 1" at bottom.
- Locate where surrounding air temperature will not exceed 110°F, to ensure optimum performance. (Temperatures 32°F and below will NOT affect operation.)
- All bottom corners of unit MUST rest firmly on solid level surface of hard material, same height as flooring. Surface must be strong and stable enough to support unit when fully loaded.
- Equipped with adjustable leveling legs to ensure unit is level, which is required in order to function properly.

**Note:** For planning purposes only. Refer to *Product Installation Guide on the web at [frigidaire.com](http://frigidaire.com) for detailed instructions.*