

FRIGIDAIRE GALLERY

French Door Refrigerator

LGHB2867TD

27.1 Cu. Ft. Standard-Depth

**ONLY AT
LOWE'S!**

¡SOLAMENTE EN LOWE'S!



Signature Features



Adjustable Interior Storage

Over 100 ways to organize and customize your refrigerator.



PureSource Ultra® Ice & Water Filtration

Discover how our genuine filtration works to keep your water cleaner.



LED Lighting



SpillSafe® Flip-Up & Slide-Under Shelves

Easily make room for tall or large items with the new Flip-Up and Slide-Under shelves.

Product Dimensions

Height (Including Hinges & Rollers)	69-7/8"
Width (Doors)	36"
Depth (Including Door)	33-3/8"

More Easy-To-Use Features

Store-More™ Shelves

More space to store your food with edge-to-edge shelves.

Effortless™ Glide Crisper Drawers

Our humidity-controlled crisper drawers can be configured any number of ways, either side-by-side or stacked on top of each other so you can organize your refrigerator the way you want.

PureAir Ultra® Filters

Our PureAir Ultra® air filters effortlessly keep the air in your refrigerator fresh.

Full-Width Cool-Zone™ Drawer

A large capacity Cool Zone™ drawer extends completely and provides space to easily store anything from sheet cakes and large platters to snacks and juice boxes.

Express-Select® Controls

Easily select options with the touch of a button.

Freezer Basket with Divider

Deep freezer storage with adjustable divider keeps food organized and accessible.

Effortless™ Glide Freezer Drawers

Drawers glide out smoothly and fully extend, giving you easy access to what's inside.

Quick Freeze

Quickly freeze foods so they stay at their freshest.




Available in:



Black
Stainless
(D)

Features	
Color	Black Stainless
Counter-Depth Design	No
Exterior Features	
Door Design	Soft-Arc
Handle Design	Black Stainless
Cabinet Color & Finish	Grey Textured
Control Features	
Touch Controls	Yes
Control Panel Location	Dispenser
Display On/Off	Yes
Water Filter Change Indicator Light	Yes
Air Filter Change Indicator Light	Yes
Supplemental Ice	No
Supplemental Freeze	Quick Freeze
High Temp Alert	No
Door Ajar Alert	No
Power Failure Alert	No
Dispenser	
Water	Yes
Cubed Ice / Crushed Ice	Yes
Light	Yes
Refrigerator Features	
Lighting	Multi-Level LED
Half-Width SpillSafe® Shelves	2 Sliding/1 Slide-Under
Quarter-Width SpillSafe® Shelves	1 Flip-Up
Adjustable Shelves	Yes
Full-Width Cool Zone™ Drawer	Yes
Crisper Drawers	2 Clear
Store-More™ Door Bins	2 White (1 per door)
Adjustable Gallon Door Storage	2 Clear
Dairy Compartment	1 Clear
6-Can Dispenser	No
Small Door Bin with Bottle Retainer	1 White
Non-Slip Bin Liners	No
Hanging Wine Rack	1 White
Water Filter Type	PureSource Ultra®
Air Filter Type	PureAir Ultra®
Freezer Features	
Self-Closing Pull-Out Drawer	Yes
Effortless™ Glide Freezer Baskets	2
Adjustable Divider	1
Lighting	LED
Ice Maker	
Primary Ice Maker (Location)	Yes (Fresh Food Section)
Second Ice Maker (Location)	Yes (Freezer Left Side)
Certifications	
Sabbath Mode (Star-K® Certified)	Yes
ENERGY STAR®	Yes
Specifications	
Total Capacity (Cu.Ft.)	27.1
Refrigerator Capacity (Cu.Ft.)	18.4
Freezer Capacity (Cu.Ft.)	8.7
Minimum Circuit Required (Amps)	15
Shipping Weight (Approx.)	365 Lbs.




NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at lowes.com/frigidaire.



Product Dimensions	
A - Height (Incl. Hinges & Rollers)	69-7/8"
B - Cabinet Width/Door Width	35-7/8" / 36"
C - Depth (Incl. Door)	33-3/8"
Depth with Door Open 90°	47-3/8"
Depth with Drawer Fully Extended (Incl. Handle)	55"

Accessories information available on the web at lowes.com/frigidaire



French Door Refrigerator Specifications

- Product Shipping Weight (approx.) - 365 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating - 120V / 60 Hz / 15 or 20 Amps
- Connected Load (kW Rating) @ 120 Volts = 1.02 kW
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer / crisper access and removal. (*Absolute 4-1/2" minimum clearance will ONLY allow for 90° door swing which will provide drawer / crisper access with restricted removal.*)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.

- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure - Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.

“Built-In Look” Specifications

- Minimum opening of 70-1/4" H x 36" W x 28-7/8" D required to allow for ease of installation, proper air circulation, and plumbing / electrical connections.
- Remove all wall / floor molding prior to installation.

Note: For planning purposes only. Refer to Product Installation Guide on the web at frigidaire.com for detailed instructions.